
Mega-Clamp



The Mega-Clamp is the world's new standard theatrical lighting C-Clamp. The Mega-Clamp is created from high tensile, aircraft grade, extruded aluminum; so it's both stronger and lighter than cast iron damps. The Mega-Clamp's safety factor far exceeds industry standards, breaking at over 2-1/2 tons at an independent testing laboratory. It is half the weight and twice as strong as most cast iron damps.

In 1993, the Mega-Clamp introduced to the industry the one piece solid aluminum damp body, micro grooves to grip the pipe securely, and the spring loaded pan adjustment. The solid one piece damp body is designed to grip pipe with its micro grooves, and will not "rock" when making adjustments to the light fixture. The Belleville spring washer has 600# of spring load when compressed. This spring pressure keeps the fixture from drifting after making small pan adjustments to the light fixture. Just grab the fixture by the top of the yoke and twist to pan the fixture. Usually, you will not need to use your wrench to tighten the pan bolt; the fixture will stay securely held.

The Mega-Clamp fits from I" pipe to 2" pipe sizes (I-I/4" OD to 2.375" inch OD tubes.) This means you can hang fixtures from a 2" pipe without having to buy an expensive "Heavy Duty Clamp". The Mega-Clamp fits the larger pipe standard.



Available with Stainless Steel Hardware, 2" bolts, 2.5" bolts, zinc bolts, or Atlas threads. Also available in white powder coat. Specific part numbers are listed below.



Minimum Size 1" pipe, 1.315" OD

Maximum Size 2" pipe, 2375" OD

Safe Vertical Working Load

Hardware I/2" × I" long hex head Grade 5 zinc bolt

 $1/2'' \times 3''$ long square head set screw

Belleville spring washer

Dimensions 5.875" tall x 3.675" wide x 1" thick

600 lb 273 kg

Weight 13.4 oz

Case Quantities 48

輸入·販売元:

株式会社 テクニカル・サプライ・ジャパン 〒154-0014 東京都世田谷区新町1-21-16 TEL 03(3425)2400 FAX 03(3425)2402

Mega-Swivel





Pan locking bolt style theatrical C-Clamp. Fixture is bolted to, and rotates on retained steel post in clamp body. Comes with half inch fasteners.

Minimum Size | " pipe, 1.315" OD Maximum Size 2" pipe, 2.375" OD

600 lb 273 kg Safe Vertical

Working Load

 $I/2'' \times I''$ long hex head Grade 5 zinc bolt **Hardware**

 $1/2'' \times 3''$ long square head set screw

Belleville spring washer

13.5 oz. Weight Case Quantities 24, 48

Order Codes MVB Mega-Swivel, Black Anodized

MVM Mega-Swivel, Silver



輸入・販売元:

株式会社 テクニカル・サプライ・ジャパン 〒154-0014 東京都世田谷区新町1-21-16 TEL 03(3425)2400 FAX 03(3425)2402

TC Clamp





The TC Clamp will fasten from 2" OD to 1.5" OD tube. The TC Clamp has a 2-1/2" T-handle so no tools are required to fasten to the pipe. $1.25'' \times 1/2"-13$ TPI Grade 8 fastener, Nylock Nut and 1" diameter Belleville Spring washer are provided for connecting your load. Dimensions: 4-5/8" Tx 4"W x 1-3/16" thick. Safe Vertical Working Load 450 Pounds, (200 KG). Weight is 1.22 pounds (.55 KG)

Minimum Size 1.5" OD tube, 1.25" pipe, 1.66" OD pipe Maximum Size 2" OD truss tube,1.5" pipe, 1.90" OD

Safe Vertical 450 Pounds Working Load

Hardware $1.25'' \times 1/2'' - 13$ TPI Grade 8 fastener with

Nylock nut.

I" Belleville spring washer.

Dimensions 45/8" tall x 4" wide x 1 3/16" thick

Weight 1.25 lbs.

Order Codes TCSB TC Clamp Swivel, Black Anodized

TCB TC Clamp, Black Anodized

TCM TC Clamp, Silver

輸入・販売元:

株式会社 テクニカル・サプライ・ジャパン 〒154-0014 東京都世田谷区新町1-21-16 TEL 03(3425)2400 FAX 03(3425)2402

Mega-Combo Wrench

Handy pocket wrench to focus lights. Fits on your keychain, and 1/2" and 5/16" hex head and square head bolts.

Colors may vary.



Dimensions 2-3/4" Long I" Wide 3/4" Thick

Weight 1.4 oz

Order Codes MCM Mega-Combo Wrench, Silver

MCM-BLACK Mega-Combo Wrench,

Black Anodized

MCM-BLUE Mega-Combo Wrench, BLUE,

Blue Anodize

MCM-GOLD Mega-Combo Wrench,

GOLD, Gold Anodize

MCM-GREEN Mega-Combo Wrench,

GREEN, Green Anodize

MCM-ORANGE Mega-Combo Wrench,

ORANGE, Orange Anodize

MCM-RED Mega-Combo Wrench, RED,

Red Anodize

MCM-PURPLE Mega-Combo Wrench,

PURPLE, Purple Anodize

MCM-PINK Mega-Combo Wrench, PINK,

Pink Anodize



株式会社 テクニカル・サプライ・ジャパン 〒154-0014 東京都世田谷区新町1-21-16

TEL 03(3425)2400 FAX 03(3425)2402